

A

TRACK LIGHT SERIES





ATB050015


ATB060020

ATB080030



Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Black/White



ITEM NO	Lumen output (lm)	WATTAGE (w)	Voltage (V)	Angle (°)	CRI	CCT (K)	SIZE(MM) CXA
ATB050015	1200lm	15W	220-240V	10°/12°/15°/24°/36°/50°	>90	3000K-6000K	Φ50X120mm
ATB060020	1600lm	20W	220-240V	10°/12°/15°/24°/36°/50°	>90	3000K-6000K	Φ60X135mm
ATB080030	2400lm	30W	220-240V	10°/12°/15°/24°/36°/50°	>90	3000K-6000K	Φ80X150mm
ATB080030	3200lm	40W	220-240V	10°/12°/15°/24°/36°/50°	>90	3000K-6000K	Φ80X150mm




TRACK LIGHT SERIES

ATC050010 ATC070025 ATC082030






Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
BLACK/WHITE BODY , BLACK/WHITE FRONT RING.



ITEM NO	Lumen output (Lm)	WATTAGE (w)	Voltage (V)	Angle (°)	CRI	CCT (K)	SIZE(MM) CXA
ATC050010	800lm	10W	220-240V	12°/24°/36°	>90	3000K-6000K	∅ 50X120mm
ATC070025	2000lm	25W	220-240V	12°/24°/36°	>90	3000K-6000K	∅ 70X155mm
ATC082030	2400lm	30W	220-240V	12°/24°/36°	>90	3000K-6000K	∅ 82X155mm




TRACK LIGHT SERIES

ATK086020 ATK086030 ATK105040




Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Black/White



ITEM NO	Lumen output (Lm)	WATTAGE (w)	Voltage (V)	Angle (°)	CRI	CCT (K)	SIZE(MM) CXA
ATK086020	800lm	10W	220-240V	15°-60°	>90	3000K-6000K	Φ48X105mm
ATK086030	1600lm	20W	220-240V	15°-60°	>90	3000K-6000K	Φ58X152mm
ATK105040	2400lm	30W	220-240V	15°-60°	>90	3000K-6000K	Φ68X157mm



Pull the track light, decreases the beam angle, push the track light increases the beam angle, you can change the beam angle from 15-60degree.



ATL050010


ATL060020

ATL080030



Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Black/White



ITEM NO	Lumen output (Lm)	WATTAGE (w)	Voltage (V)	Angle (°)	CRI	CCT (K)	SIZE(MM) CXA
ATL050010	1200lm	15W	220-240V	10°/12°/15°/24°/36°/50°	>90	3000K-6000K	Φ50X120mm
ATL060020	1600lm	20W	220-240V	10°/12°/15°/24°/36°/50°	>90	3000K-6000K	Φ60X135mm
ATL080030	2400lm	30W	220-240V	10°/12°/15°/24°/36°/50°	>90	3000K-6000K	Φ80X150mm
ATL080030	3200lm	40W	220-240V	10°/12°/15°/24°/36°/50°	>90	3000K-6000K	Φ80X150mm

ATD050010


ATD070020

ATD082030






Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
BLACK/WHITE BODY , BLACK/WHITE FRONT RING.



ITEM NO	Lumen output (Lm)	WATTAGE (w)	Voltage (V)	Angle (°)	CRI	CCT (K)	SIZE(MM) CXA
ATD050010	800lm	10W	220-240V	12°/24°/36°	>90	3000K-6000K	Φ50X120mm
ATD070020	1600lm	20W	220-240V	12°/24°/36°	>90	3000K-6000K	Φ70X155mm
ATD082030	2400lm	30W	220-240V	12°/24°/36°	>90	3000K-6000K	Φ82X155mm





ATF054010






ATF068020

ATF085030



Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Black/White



ITEM NO	Lumen output (Lm)	WATTAGE (w)	Voltage (V)	Angle (°)	CRI	CCT (K)	SIZE(MM) CXA
ATF054010	800lm	10W	220-240V	15°/24°/36°	>90	3000K-6000K	Φ54X110mm
ATF068020	1600lm	20W	220-240V	15°/24°/36°	>90	3000K-6000K	Φ68X130mm
ATF085030	2400lm	30W	220-240V	15°/24°/36°	>90	3000K-6000K	Φ85X140mm