




TECHNICAL LED
LUMINAIRES
for retail and presentation

D DOWN LIGHT SERIES D



DOWN LIGHT SERIES


ASDA085005 ASDA100007 ASDA125010 ASDA160015 ASDA205020




Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
White

| ITEM NO | Lumen output (Lm) | Led Power (w) | Voltage (V) | Angle (°) | CCT (K) | SIZE(MM) CXH | CUT WHOLE (Φ MM) |
|------------|-------------------|---------------|-------------|-----------|-------------|--------------|------------------|
| ASDA085005 | 295lm | 5W | 220-240V | 110° | 3000K-6000K | Φ 98X50mm | Φ 85 |
| ASDA100007 | 515lm | 7W | 220-240V | 110° | 3000K-6000K | Φ 120X55mm | Φ 100 |
| ASDA125010 | 650lm | 10W | 220-240V | 110° | 3000K-6000K | Φ 145X60mm | Φ 125 |
| ASDA160015 | 1250lm | 15W | 220-240V | 110° | 3000K-6000K | Φ 180X68mm | Φ 160 |
| ASDA205020 | 1800lm | 20W | 220-240V | 110° | 3000K-6000K | Φ 220X90mm | Φ 205 |




ASDAA075006 ASDAA095009 ASDAA120015 ASDAA160020 ASDAA200030



Application:
hotels, office, conference room, museums, restaurants, etc.


Option:
White

| ITEM NO | Lumen output (Lm) | Led Power (w) | Voltage (V) | Angle (°) | CCT (K) | SIZE(MM) CXH | CUT WHOLE (Φ MM) |
|-------------|-------------------|---------------|-------------|-----------|-------------|--------------|------------------|
| ASDAA075006 | 510lm | 6W | 220-240V | 120° | 3000K-6000K | Φ 98x30mm | Φ 75 |
| ASDAA095009 | 765lm | 9W | 220-240V | 120° | 3000K-6000K | Φ 118x30mm | Φ 95 |
| ASDAA120015 | 1275lm | 15W | 220-240V | 120° | 3000K-6000K | Φ 145x30mm | Φ 120 |
| ASDAA160020 | 1700lm | 20W | 220-240V | 120° | 3000K-6000K | Φ 178x30mm | Φ 160 |
| ASDAA200030 | 2550lm | 30W | 220-240V | 120° | 3000K-6000K | Φ 220x30mm | Φ 200 |



DOWN LIGHT SERIES




ADB120018 ADB150025 ADB160030 ADB210040




Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
White

| ITEM NO | Lumen output (Lm) | Led Power (w) | Voltage (V) | Angle (°) | CRI | CCT (K) | SIZE(MM) CXH | CUT WHOLE (ΦMM) |
|------------------|-------------------|---------------|-------------|-----------|-----|-------------|--------------|-----------------|
| ADB120018 | 1450lm | 18W | 220-240V | 60° | >90 | 3000K-6000K | Φ140X62mm | Φ120 |
| ADB150025 | 2000lm | 25W | 220-240V | 60° | >90 | 3000K-6000K | Φ180X68mm | Φ150 |
| ADB160030 | 2550lm | 30W | 220-240V | 60° | >90 | 3000K-6000K | Φ195X78mm | Φ160 |
| ADB210040 | 3750lm | 40W | 220-240V | 60° | >90 | 3000K-6000K | Φ240X108mm | Φ210 |




ADC075007 ADC095012 ADC120018 ADC140025 ADC160036 ADC190060




Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Body: White/Black Reflector : White/Black/Silver/Matt Silver /UV Black Chrome

| ITEM NO | Lumen output (Lm) | Led Power (w) | Voltage (V) | Angle (°) | CRI | CCT (K) | SIZE(MM) CXH | CUT WHOLE (Φ MM) |
|------------------|-------------------|---------------|-------------|-------------|-----|-------------|--------------|------------------|
| ADC075007 | 850lm | 10W | 220-240V | 24°/36°/60° | >90 | 3000K-6000K | Φ 85X55mm | Φ 75 |
| ADC095012 | 960lm | 15W | 220-240V | 24°/36°/60° | >90 | 3000K-6000K | Φ 110X67mm | Φ 95 |
| ADC120018 | 1440lm | 25W | 220-240V | 24°/36°/60° | >90 | 3000K-6000K | Φ 135X81mm | Φ 120 |
| ADC140025 | 2000lm | 35W | 220-240V | 24°/36°/60° | >90 | 3000K-6000K | Φ 160X96mm | Φ 140 |
| ADC160036 | 2880lm | 45W | 220-240V | 24°/36°/60° | >90 | 3000K-6000K | Φ 185X109mm | Φ 160 |
| ADC190060 | 3840lm | 60W | 220-240V | 24°/36°/60° | >90 | 3000K-6000K | Φ 215X130mm | Φ 190 |




ADDA100010 ADDA125015 ADDA145020 ADDA180030 ADDA215040




Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Black/White


| ITEM NO | Lumen output (Lm) | Led Power (w) | Voltage (V) | Angle (°) | CRI | CCT (K) | SIZE(MM) CXH | CUT WHOLE (Φ MM) |
|-------------------|-------------------|---------------|-------------|-----------|-----|-------------|--------------|------------------|
| ADDA100010 | 800lm | 10W | 220-240V | 60° | >90 | 3000K-6000K | Φ 115X65mm | Φ 100 |
| ADDA125015 | 1200lm | 15W | 220-240V | 70° | >90 | 3000K-6000K | Φ 140X80mm | Φ 125 |
| ADDA145020 | 1600lm | 20W | 220-240V | 70° | >90 | 3000K-6000K | Φ 160X85mm | Φ 145 |
| ADDA180030 | 2400lm | 30W | 220-240V | 70° | >90 | 3000K-6000K | Φ 198X98mm | Φ 180 |
| ADDA215040 | 3200lm | 40W | 220-240V | 70° | >90 | 3000K-6000K | Φ 230X102mm | Φ 215 |



ADDB100010 ADDB125015 ADDB145020 ADDB180030




Application:
hotels, office, conference room, museums, restaurants, etc.



Option:
Black/White


| ITEM NO | Lumen output (Lm) | Led Power (w) | Voltage (V) | Angle (°) | CRI | CCT (K) | SIZE(MM) AXBXH | CUT WHOLE (ΦMM) |
|-------------------|-------------------|---------------|-------------|-----------|-----|-------------|----------------|-----------------|
| ADDB100010 | 800lm | 10W | 220-240V | 60° | >90 | 3000K-6000K | 115X115X60mm | Φ 100X100 |
| ADDB125015 | 1200lm | 15W | 220-240V | 60° | >90 | 3000K-6000K | 140X140X75mm | Φ 125X125 |
| ADDB145020 | 1600lm | 20W | 220-240V | 60° | >90 | 3000K-6000K | 160X160X80mm | Φ 145X145 |
| ADDB180030 | 2400lm | 30W | 220-240V | 60° | >90 | 3000K-6000K | 195X195X95mm | Φ 180X180 |



ASDE075010 ASDE080012 ASDE095015 ASDE120018
ASDE145030 ASDE180040 ASDE200050



Application:
hotels, office, conference room, museums, restaurants, etc.



Option:
Body:grey Reflector : Black/White/UV Black Chrome/UV Chorme/Matt Chrome/UV Rose Gold **Cob Option**

| ITEM NO | Lumen output (Lm) | Led Power (w) | Voltage (V) | Angle (°) | CRI | CCT (K) | SIZE(MM) CXH | CUT WHOLE (ΦMM) |
|-------------------|-------------------|---------------|-------------|-----------|-----|-------------|--------------|-----------------|
| ASDE075010 | 800lm | 10W | 220-240V | 60° | >90 | 3000K-6000K | Φ 90X56mm | Φ 75 |
| ASDE080012 | 960lm | 12W | 220-240V | 60° | >90 | 3000K-6000K | Φ 95X60mm | Φ 80 |
| ASDE095015 | 1200lm | 15W | 220-240V | 60° | >90 | 3000K-6000K | Φ 105X64mm | Φ 95 |
| ASDE120018 | 1440lm | 18W | 220-240V | 60° | >90 | 3000K-6000K | Φ 130X72mm | Φ 120 |
| ASDE145030 | 2400lm | 30W | 220-240V | 60° | >90 | 3000K-6000K | Φ 160X82mm | Φ 145 |
| ASDE180040 | 3200lm | 40W | 220-240V | 60° | >90 | 3000K-6000K | Φ 180X90mm | Φ 160 |
| ASDE200050 | 4000lm | 50W | 220-240V | 60° | >90 | 3000K-6000K | Φ 230X100mm | Φ 200 |




ASDF075010 ASDF095018 ASDF110020 ASDF160030 ASDF200040



Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
White




| ITEM NO | Lumen output (Lm) | Led Power (w) | Voltage (V) | Angle (°) | CCT (K) | SIZE(MM) CXH | CUT WHOLE (Φ MM) |
|-------------------|-------------------|---------------|-------------|-----------|-------------|--------------|------------------|
| ASDF075010 | 550lm | 10W | 220-240V | 24°/45° | 3000K-6000K | Φ 85X34mm | Φ 75 |
| ASDF095018 | 990lm | 18W | 220-240V | 24°/45° | 3000K-6000K | Φ 105X34mm | Φ 95 |
| ASDF110020 | 1100lm | 20W | 220-240V | 24°/45° | 3000K-6000K | Φ 120X34mm | Φ 110 |
| ASDF160030 | 1650lm | 30W | 220-240V | 24°/45° | 3000K-6000K | Φ 170X34mm | Φ 160 |
| ASDF200040 | 2200lm | 40W | 220-240V | 24°/45° | 3000K-6000K | Φ 220X34mm | Φ 200 |

ASDG075010 ASDG095015 ASDG120025






Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Body: White Reflector: Silver/UV Black




| ITEM NO | Lumen output (Lm) | Led Power (w) | Voltage (V) | Angle (°) | CRI | CCT (K) | SIZE(MM) CXH | CUT WHOLE (Φ MM) |
|-------------------|-------------------|---------------|-------------|-----------|-----|-------------|--------------|------------------|
| ASDG075010 | 800lm | 10W | 220-240V | 20°/40° | >90 | 3000K-6000K | Φ 85X55mm | Φ 75 |
| ASDG095015 | 1200lm | 15W | 220-240V | 20°/40° | >90 | 3000K-6000K | Φ 105X63mm | Φ 95 |
| ASDG120025 | 2000lm | 25W | 220-240V | 20°/40° | >90 | 3000K-6000K | Φ 130X77mm | Φ 120 |



DOWN LIGHT SERIES


ASDB090012 ASDB110018 ASDB145025 ASDB200040




Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Body: White Reflector: Silver/UV Black

| ITEM NO | Lumen output (Lm) | WATTAGE (w) | Voltage (V) | Angle (°) | CRI | CCT (K) | SIZE(MM) CXH | CUT WHOLE (ΦMM) |
|-------------------|-------------------|-------------|-------------|-----------|-----|-------------|--------------|-----------------|
| ASDB090012 | 960lm | 12W | 220-240V | 60° | >90 | 3000K-6000K | Φ 110X59mm | Φ 90 |
| ASDB110018 | 1440lm | 18W | 220-240V | 60° | >90 | 3000K-6000K | Φ 127X70mm | Φ 110 |
| ASDB145025 | 2250lm | 25W | 220-240V | 60° | >90 | 3000K-6000K | Φ 164X81mm | Φ 145 |
| ASDB200040 | 3200lm | 40W | 220-240V | 60° | >90 | 3000K-6000K | Φ 220X90mm | Φ 200 |




ASDC090012 ASDC110018 ASDC145025 ASDC200040



Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
White

| ITEM NO | Lumen output (Lm) | WATTAGE (w) | Voltage (V) | Angle (°) | CRI | CCT (K) | SIZE(MM) AXBXH | CUT WHOLE (MM) |
|-------------------|-------------------|-------------|-------------|-----------|-----|-------------|----------------|----------------|
| ASDC090012 | 960lm | 12W | 220-240V | 60° | >90 | 3000K-6000K | 110X110X59mm | 90X90 |
| ASDC110018 | 1620lm | 18W | 220-240V | 60° | >90 | 3000K-6000K | 127X127X70mm | 110X110 |
| ASDC145025 | 2250lm | 25W | 220-240V | 60° | >90 | 3000K-6000K | 165X165X80mm | 145X145 |
| ASDC200040 | 3200lm | 40W | 220-240V | 80° | >90 | 3000K-6000K | 220X220X90mm | 200X200 |






ADE055005 ADE065009 ADE075012 ADE095015



IP20 High efficacy luminous CE RoHS 3CCT OPTION



Application:
hotels, office, conference room, museums, restaurants, etc.


Option:
White/Black

| ITEM NO | Lumen output (Lm) | Led Power (w) | Voltage (V) | Angle (°) | CRI | CCT (K) | SIZE(MM) CXH | CUT WHOLE (ΦMM) |
|------------------|-------------------|---------------|-------------|-----------------|-----|-------------|--------------|-----------------|
| ADE055005 | 350lm | 5W | 220-240V | 18°/24°/36°/60° | >90 | 3000K-6000K | Φ62X25mm | Φ55 |
| ADE065009 | 700lm | 9W | 220-240V | 18°/24°/36°/60° | >90 | 3000K-6000K | Φ72X28.3mm | Φ65 |
| ADE075012 | 960lm | 12W | 220-240V | 18°/24°/36°/60° | >90 | 3000K-6000K | Φ83X31.1mm | Φ75 |
| ADE095015 | 1200lm | 15W | 220-240V | 18°/24°/36°/60° | >90 | 3000K-6000K | Φ105X34.4mm | Φ95 |





ADF080005 ADF095012 ADF120018 ADF145030




- IP20
- High efficiency Luminous
- CE
- RoHS
- 3CCT OPTION


Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
White

| ITEM NO | Lumen output (Lm) | Led Power (w) | Voltage (V) | Angle (°) | CRI | CCT (K) | SIZE(MM) CXH | CUT WHOLE (Φ MM) |
|------------------|-------------------|---------------|-------------|-----------|-----|-------------|--------------|------------------|
| ADF080005 | 400lm | 5W | 220-240V | 20° | >90 | 3000K-6000K | Φ 90X54mm | Φ 80 |
| ADF095012 | 960lm | 12W | 220-240V | 20° | >90 | 3000K-6000K | Φ 110X76mm | Φ 95 |
| ADF120018 | 1440lm | 18W | 220-240V | 20° | >90 | 3000K-6000K | Φ 140X98mm | Φ 120 |
| ADF145030 | 2500lm | 30W | 220-240V | 20° | >90 | 3000K-6000K | Φ 160X100mm | Φ 145 |



ADJ095020 ADJ120035



- IP20
- High efficiency Luminous
- CE
- RoHS
- 3CCT OPTION

Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
White


| ITEM NO | Lumen output (Lm) | Led Power (w) | Voltage (V) | Angle (°) | CRI | CCT (K) | SIZE(MM) CXH | CUT WHOLE (Φ MM) |
|------------------|-------------------|---------------|-------------|-----------------|-----|-------------|--------------|------------------|
| ADJ095020 | 1700lm | 20W | 220-240V | 15°/24°/36°/55° | >90 | 3000K-6000K | Φ 110X90mm | Φ 95 |
| ADJ120035 | 2500lm | 30W | 220-240V | 15°/24°/36°/55° | >90 | 3000K-6000K | Φ 137X110mm | Φ 120 |

ADI055005 ADI075010 ADI095020 ADI120030







Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Body White Reflector : Black/White/UV Black Chrome/UV Chrome/Matt Chrome/UV Rose Gold




| ITEM NO | Lumen output (Lm) | Led Power (w) | Voltage (V) | Angle (°) | CRI | CCT (K) | SIZE(MM) CXH | CUT WHOLE (ΦMM) |
|-----------|-------------------|---------------|-------------|-------------|-----|-------------|--------------|-----------------|
| ADI055005 | 325lm | 5W | 220-240V | 15°/24°/38° | >90 | 3000K-6000K | Φ63X63mm | Φ55 |
| ADI075010 | 650lm | 10W | 220-240V | 15°/24°/38° | >90 | 3000K-6000K | Φ85X76mm | Φ75 |
| ADI095020 | 1300lm | 20W | 220-240V | 15°/24°/38° | >90 | 3000K-6000K | Φ105X99mm | Φ95 |
| ADI120030 | 1950lm | 30W | 220-240V | 15°/24°/38° | >90 | 3000K-6000K | Φ130X115mm | Φ120 |




ASDH055007 ASDH075008 ASDH075012 ASDH075015 ASDH095020

TRIMLESS !!



Application:
hotels, office, conference room, museums, restaurants, etc.


Option:
Body: White/Black Reflector : Sandy Black/Sandy White/UV Chrome/UV Black Chrome/UV Rose Gold



| ITEM NO | Lumen output (Lm) | Led Power (w) | Voltage (V) | Angle (°) | CRI | CCT (K) | SIZE(MM) CXH | CUT WHOLE (ΦMM) |
|------------|-------------------|---------------|-------------|-------------|-----|-------------|---------------|-----------------|
| ASDH055007 | 455lm | 7W | 220-240V | 15°/24°/36° | >90 | 3000K-6000K | Φ89X51X70mm | Φ55 |
| ASDH075008 | 520lm | 8W | 220-240V | 15°/24°/36° | >90 | 3000K-6000K | Φ114X71X70mm | Φ75 |
| ASDH075012 | 780lm | 12W | 220-240V | 15°/24°/36° | >90 | 3000K-6000K | Φ114X71X85mm | Φ75 |
| ASDH075015 | 975lm | 15W | 220-240V | 15°/24°/36° | >90 | 3000K-6000K | Φ114X71X100mm | Φ75 |
| ASDH095020 | 1300lm | 20W | 220-240V | 15°/24°/36° | >90 | 3000K-6000K | Φ141X92X87mm | Φ95 |



ADRK075012 ADRK095018 ADRK120025 ADRK145030



Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
White/Black

| ITEM NO | Lumen output (Lm) | Led Power (w) | Voltage (V) | Angle (°) | CRI | CCT (K) | SIZE(MM) CXH | CUT WHOLE (ΦMM) |
|-------------------|-------------------|---------------|-------------|-------------|-----|-------------|--------------|-----------------|
| ADRK075012 | 780lm | 12W | 220-240V | 15°/24°/36° | >90 | 3000K-6000K | Φ90X92mm | Φ75 |
| ADRK095018 | 1170lm | 18W | 220-240V | 15°/24°/36° | >90 | 3000K-6000K | Φ110X120mm | Φ95 |
| ADRK120025 | 1625lm | 25W | 220-240V | 15°/24°/36° | >90 | 3000K-6000K | Φ135X140mm | Φ120 |
| ADRK145030 | 1950lm | 30W | 220-240V | 15°/24°/36° | >90 | 3000K-6000K | Φ160X150mm | Φ145 |

ADRKS075012 ADRKS095018 ADRKS120025 ADRKS145030



Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
White/Black

| ITEM NO | Lumen output (Lm) | Led Power (w) | Voltage (V) | Angle (°) | CRI | CCT (K) | SIZE(MM) LXWXH | CUT WHOLE (MM) |
|--------------------|-------------------|---------------|-------------|-------------|-----|-------------|----------------|----------------|
| ADRKS075012 | 780lm | 12W | 220-240V | 15°/24°/36° | >90 | 3000K-6000K | 90X90X92mm | 75X75 |
| ADRKS095018 | 1170lm | 18W | 220-240V | 15°/24°/36° | >90 | 3000K-6000K | 115X115X120mm | 95X95 |
| ADRKS120025 | 1625lm | 25W | 220-240V | 15°/24°/36° | >90 | 3000K-6000K | 140X140X140mm | 125X125 |
| ADRKS145030 | 1950lm | 30W | 220-240V | 15°/24°/36° | >90 | 3000K-6000K | 160X160X150mm | 145X145 |




ADRS155024 ADRS190036 ADRS230050 ADRS280060



Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
White/Black




| ITEM NO | Lumen output (Lm) | Led Power (w) | Voltage (V) | Angle (°) | CRI | CCT (K) | SIZE(MM) LXWXH | CUT WHOLE (MM) |
|-------------------|-------------------|---------------|-------------|-------------|-----|-------------|----------------|----------------|
| ADRS155024 | 1560lm | 2X12W | 220-240V | 15°/24°/36° | >90 | 3000K-6000K | 170X90X92mm | 155X75 |
| ADRS190036 | 2340lm | 2X18W | 220-240V | 15°/24°/36° | >90 | 3000K-6000K | 210X115X120mm | 190X95 |
| ADRS230050 | 3250lm | 2X25W | 220-240V | 15°/24°/36° | >90 | 3000K-6000K | 250X140X140mm | 230X125 |
| ADRS280060 | 3900lm | 2X30W | 220-240V | 15°/24°/36° | >90 | 3000K-6000K | 303X140X150mm | 280X145 |

ASA076015 ASA096020 ASA116030 ASA142040 ASA171050 ASA206060




Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Body: White/Black Reflector : White/Black/Silver/Rose Glod/Gloden/Pearl black



| ITEM NO | Lumen output (Lm) | Led Power (w) | Voltage (V) | Angle (°) | CRI | CCT (K) | SIZE(MM) CXH |
|------------------|-------------------|---------------|-------------|-----------------|-----|-------------|--------------|
| ASA076015 | 960lm | 12W | 220-240V | 15°/24°/36°/50° | >90 | 3000K-6000K | Φ74X75mm |
| ASA096020 | 1440lm | 18W | 220-240V | 15°/24°/36°/50° | >90 | 3000K-6000K | Φ95X95mm |
| ASA116030 | 2000lm | 25W | 220-240V | 24°/36°/50° | >90 | 3000K-6000K | Φ120X120mm |
| ASA142040 | 2800lm | 35W | 220-240V | 15°/24°/36°/50° | >90 | 3000K-6000K | Φ140X140mm |
| ASA171050 | 3600lm | 45W | 220-240V | 15°/24°/36°/50° | >90 | 3000K-6000K | Φ160X160mm |
| ASA206060 | 4000lm | 50W | 220-240V | 15°/24°/36°/50° | >90 | 3000K-6000K | Φ190X190mm |



DOWN LIGHT SERIES



ARG090010


ARG190020





- IP20
- High efficiency Luminous
- CE
- RoHS
- 3CCT OPTION

Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Black/White



| ITEM NO | Lumen output (Lm) | Voltage (V) | Wattage (W) | Angle (°) | CRI | CCT (K) | SIZE(MM) AXBXH | Cut Whole (MM) |
|------------------|-------------------|-------------|-------------|-----------|-----|-----------|----------------|----------------|
| ARG090010 | 800lm | 220-240V | 10W | 24° | >90 | 3000-6000 | 115X115X70mm | 90X90mm |
| ARG190020 | 1600lm | 220-240V | 2X10W | 24° | >90 | 3000-6000 | 215X115X70mm | 190X90mm |






ARJ115015 ARJ215030 ARJ315045





- IP20
- High efficiency Luminous
- CE
- RoHS
- 3CCT OPTION



Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Black/White


| ITEM NO | Lumen output (Lm) | Voltage (V) | Wattage (W) | Angle (°) | CRI | CCT (K) | SIZE(MM) AXBXH | Cut Whole (MM) |
|-----------|-------------------|-------------|-------------|-------------|-----|-----------|----------------|----------------|
| ARJ115015 | 1200lm | 220-240V | 15Wx1 | 15°/24°/36° | >90 | 3000-6000 | 137X137X85mm | 115X115mm |
| ARJ215030 | 2400lm | 220-240V | 15Wx2 | 15°/24°/36° | >90 | 3000-6000 | 237X137X85mm | 215X115mm |
| ARJ315045 | 3600lm | 220-240V | 15Wx3 | 15°/24°/36° | >90 | 3000-6000 | 337X137X85mm | 315X115mm |



ARK160020 ARK345040 ARK475060



- IP20
- High efficiency Luminous
- CE
- RoHS
- 3CCT OPTION



Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Black/White

| ITEM NO | Lumen output (Lm) | Voltage (V) | Wattage (W) | Angle (°) | CRI | CCT (K) | SIZE(MM) AXBXH | Cut Whole (MM) |
|-----------|-------------------|-------------|-------------|-------------|-----|-----------|----------------|----------------|
| ARK160020 | 1600lm | 220-240V | 20Wx1 | 15°/24°/36° | >90 | 3000-6000 | 190X190X135mm | 160X160mm |
| ARK345040 | 3200lm | 220-240V | 20Wx2 | 15°/24°/36° | >90 | 3000-6000 | 375X190X135mm | 345X160mm |
| ARK475060 | 4800lm | 220-240V | 20Wx3 | 15°/24°/36° | >90 | 3000-6000 | 505X190X135mm | 475X160mm |



ARD118015 ARD248030





TRIMLESS !!



Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Black/White



| ITEM NO | Lumen output (Lm) | Wattage (W) | Voltage (V) | Angle (°) | CRI | CCT (K) | SIZE(MM) AXBXH | Cut Whole (MM) |
|------------------|-------------------|-------------|-------------|-----------|-----|-----------|----------------|----------------|
| ARD118015 | 1200lm | 15W | 220-240V | 24°/30° | >90 | 3000-6000 | 115X115X120mm | 118X118mm |
| ARD248030 | 2400lm | 2X15W | 220-240V | 24°/30° | >90 | 3000-6000 | 245X115X120mm | 248X118mm |

