



TRACK LIGHT SERIES






ATB050015 ATB060020 ATB080030



Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Black/White



ITEM NO	Lumen output (Lm)	WATTAGE (w)	Voltage (V)	Angle (°)	CRI	CCT (K)	SIZE(MM) CXA
ATB050015	1200lm	15W	220-240V	10°/12°/15°/24°/36°/50°	>90	3000K-6000K	Φ 50X120mm
ATB060020	1600lm	20W	220-240V	10°/12°/15°/24°/36°/50°	>90	3000K-6000K	Φ 60X135mm
ATB080030	2400lm	30W	220-240V	10°/12°/15°/24°/36°/50°	>90	3000K-6000K	Φ 80X150mm
ATB080030	3200lm	40W	220-240V	10°/12°/15°/24°/36°/50°	>90	3000K-6000K	Φ 80X150mm




ATC050010 ATC070025 ATC082030






Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
BLACK/WHITE BODY , BLACK/WHITE FRONT RING.



ITEM NO	Lumen output (Lm)	WATTAGE (w)	Voltage (V)	Angle (°)	CRI	CCT (K)	SIZE(MM) CxA
ATC050010	800lm	10W	220-240V	12°/24°/36°	>90	3000K-6000K	Φ 50X120mm
ATC070025	2000lm	25W	220-240V	12°/24°/36°	>90	3000K-6000K	Φ 70X155mm
ATC082030	2400lm	30W	220-240V	12°/24°/36°	>90	3000K-6000K	Φ 82X155mm



TRACK LIGHT SERIES


TRACK LIGHT SERIES

ATK086020 ATK086030 ATK105040









Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Black/White



ITEM NO	Lumen output (Lm)	WATTAGE (w)	Voltage (V)	Angle (°)	CRI	CCT (K)	SIZE(MM) CXA
ATK086020	800lm	10W	220-240V	20°-55°	>90	3000K/4000K/5000K	Φ55X140mm
ATK086030	1600lm	20W	220-240V	20°-55°	>90	3000K/4000K/5000K	Φ65X150mm
ATK105040	2400lm	30W	220-240V	20°-55°	>90	3000K/4000K/5000K	Φ75X160mm



The Product Can Using With
3CCT AND 3 WATTAGE
Function Driver

Tensile focusing
20° – 55°

TRACK LIGHT SERIES




ATL050010 ATL060020 ATL080030



Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Black/White




ITEM NO	Lumen output (Lm)	WATTAGE (w)	Voltage (V)	Angle (°)	CRI	CCT (K)	SIZE(MM) CXA
ATL050010	1200lm	15W	220-240V	10°/12°/15°/24°/36°/50°	>90	3000K-6000K	Φ 50X120mm
ATL060020	1600lm	20W	220-240V	10°/12°/15°/24°/36°/50°	>90	3000K-6000K	Φ 60X135mm
ATL080030	2400lm	30W	220-240V	10°/12°/15°/24°/36°/50°	>90	3000K-6000K	Φ 80X150mm
ATL080030	3200lm	40W	220-240V	10°/12°/15°/24°/36°/50°	>90	3000K-6000K	Φ 80X150mm

ATD050010 ATD070020 ATD082030



Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
BLACK/WHITE BODY , BLACK/WHITE FRONT RING.



ITEM NO	Lumen output (Lm)	WATTAGE (w)	Voltage (V)	Angle (°)	CRI	CCT (K)	SIZE(MM) CXA
ATD050010	800lm	10W	220-240V	12°/24°/36°	>90	3000K-6000K	Φ 50X120mm
ATD070020	1600lm	20W	220-240V	12°/24°/36°	>90	3000K-6000K	Φ 70X155mm
ATD082030	2400lm	30W	220-240V	12°/24°/36°	>90	3000K-6000K	Φ 82X155mm

